

Table of Contents:

Medicinal products	2
Food supplements	14
Hemodialysis concentrates	15
Diagnostics	16
Cosmetics	16

product list

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
АСЕНОКОУМАРОЛ UNIPHARM АЦЕНОКУМАРОЛ УНИФАРМ	ACENOCOUMAROL	Antithrombotic agents. Vitamin K antagonists	20 tablets of 4 mg (blister strips of 10).		2 (two) years
АСЕТИЛИН® АЦЕТИЛИН®	ACETYLSALICYLIC ACID	Salicylic acid and derivatives	20 tablets of 500 mg (blister strips of 10). 1 container with 100 tablets.	lic.	Blister – 4 (four) years Container – 2 (two) years
АСНЕДЕРМ® АКНЕДЕРМ®	TRETINOIN	Retinoids for topical use in acne	Tube with 30 g cream (0.05%).		2 (two) years
АСНЕРИН® АКНЕРИН®	ERYTHROMYCIN	Dermatological antiacne product. Antibiotic	Bottles of 100 ml cutaneous solution (30 mg/ml).		1 (one) year
АДРЕНАЛИН СОФАРМА АДРЕНАЛИН СОФАРМА	EPINEPHRINE	Adrenergic and dopaminergic agents	10 or 100 ampoules with 1ml solution for injection (1mg/ml).	* #	2 (two) years
АЛЛЕРГОСАН® АЛЕРГОЗАН®	CHLOROPYRAMINE	Antihistamine for systemic use. Antihistamine for topical use	10 or 100 ampoules with 2 ml solution for injection (10 mg/ml). 20 coated tablets of 25 mg (blister strips of 20). Tube with 18 g ointment (1 g/100 g). Tube with 18 g cream (1 g/100 g).	* #	Solution for injection – 5 (five) years Coated tabl. – 5 (five) years Ointment – 3 (three) years Cream – 3 (three) years
АМБРОХОЛ СОФАРМА АМБРОКСОЛ СОФАРМА	AMBROXOL	Expectorants. Mucolytics	Bottle, containing 100 ml syrup (15 mg/5 ml).	#	2 (two) years
АМЕОЛИН® АМЕОЛИН®	NIMESULIDE	NSAIDs	10 or 20 tablets of 100 mg.	#	3 (three) years
АМИКАСИН СОФАРМА АМИКАЦИН СОФАРМА	AMIKACIN	Aminoglycoside antibacterials	10 or 100 ampoules with 2 ml solution for injection (50 mg/ml). 10 or 100 ampoules with 2 ml solution for injection (125 mg/ml). 10 or 100 ampoules with 2 ml solution for injection (250 mg/ml). 10 or 50 ampoules with 4 ml solution for injection (250 mg/ml).	#	2 (two) years
АМИОДАРОН СОФАРМА АМИОДАРОН СОФАРМА	AMIODARONE HYDROCHLORIDE	Antiarrhythmics, class III	30 tablets of 200 mg (blister strips of 10).		3 (three) years
АНАЛГИН® АНАЛГИН®	METAMIZOLE SODIUM	Analgesics and antipyretics	10 or 100 ampoules with 2 ml solution for injection (500 mg/ml). 20 or 500 tablets of 500 mg (blister strips of 10).	* #	Solution for injection – 5 (five) years Tablets – 5 (five) years
АНАЛГИН-ХИНИН® АНАЛЬГИН-ХИНИН®	Combination	Other analgesics and antipyretics. Metamizole sodium, combinations	10, 20 or 350 film-coated tablets (blister strips of 10). (1 tablet contains: 200 mg metamizole sodium; 50 mg chinine hydrochloride.)	#	5 (five) years
АНТИАЛЛЕРЗИН® АНТИАЛЕРЗИН®	PROMETHAZINE	Antihistamines for systemic use. Phenothiazine derivatives	10 or 100 ampoules with 2 ml solution for injection (25 mg/ml).	#	5 (five) years
АНТИЕМЕТИН® АНТИЕМЕТИН®	METOCLOPRAMIDE	Drugs for functional gastrointestinal disorders. Propulsives	10 or 100 ampoules with 2 ml solution for injection (5 mg/ml). Bottle, containing 125 ml syrup.		2 (two) years

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
ANTHERPIN[®] АНТИХЕРПИН[®]	ACICLOVIR	Chemotherapeutics for dermatological use. Antivirals	Tube with 5 g, 10 g or 20 g cream (5%).		2 (two) years
ANTISTENOCARDIN[®] АНТИСТЕНОКАРДИН[®]	DIPYRIDAMOLE	Antithrombotic agents. Platelet aggregation inhibitors.	60 or 1200 coated tablets of 25 mg (blister strips of 30). 30, 50 or 100 coated tablets of 75 mg (blister strips of 10).	#	5 (five) years 3 (three) years
ANTISTRUMIN[®] АНТИСТРУМИН[®]	POTASSIUM IODIDE	Iodine therapy	20 coated tablets of 0.5 mg. 20 coated tablets of 1 mg.	#	2 (two) years
ATENOLOL SOPHARMA АТЕНОЛОЛ СОФАРМА	ATENOLOL	Beta-blocking agents, selective	30 film-coated tablets of 50 mg. 30 film-coated tablets of 25 mg.	#	2 (two) years
ATROPINE SOPHARMA АТРОПИН СОФАРМА	ATROPINE	Belladonna alkaloids, tertiary amines	10 or 100 ampoules with 1 ml solution for injection (1 mg/ml).	* #	3 (three) years
BELLERGAMIN[®] БЕЛЕРГАМИН[®]	Combination	Hypnotic and sedatives. Barbiturates in combination with other drugs	20 coated tablets. (1 tablet contains: <i>Belladonnae radix extractum liquidum</i> , as total alkaloids as <i>hyoscyamine</i> 0,1 mg; 0,3 mg <i>ergotamine tartrate</i> ; 20 mg <i>phenobarbital</i> .)	#	2 (two) years
BISACODYL SOPHARMA БИЗАКОДИЛ СОФАРМА	BISACODYL	Laxatives. Contact laxatives	6 suppositories of 5 mg. 6 suppositories of 10 mg. 30 gastro-resistant tablets of 5 mg.	#	Suppositories – 3 (three) years Tablets – 2 (two) years
BROMHEXINE SOPHARMA БРОМХЕКСИН СОФАРМА	BROMHEXINE	Mucolytics	20 tablets of 8 mg. 10 or 100 ampoules with 2 ml solution for injection (2 mg/ml). Bottle, containing 125 ml syrup (4 mg/5 ml).	* #	Tablets – 3 (three) years Solution for injection – 3 (three) years Syrup – 3 (three) years
BROMOCRIPTINE SOPHARMA БРОМОКРИПТИН СОФАРМА	BROMOCRIPTINE	Antiparkinson drugs, dopamine agonists. Prolactin inhibitors	30 tablets of 2.5 mg (blister strips of 10).		2 (two) years
BRONCHITUSSEN VRAMED[®] БРОНХИТУСЕН ВРАМЕД[®]	Combination	Cough suppressants. Expectorants	Bottle, containing 125 g syrup. (0,125 g Glauцин, 0,100 g Ephedrin, 0,125 g Basil oil).	#	4 (four) years
BRONCHOLYTIN[®] БРОНХОЛИТИН[®]	Combination	Cough suppressants. Expectorants	Bottle, containing 125 g syrup. (5 ml syrup contains: glaucine hydrobromide 5.75 mg; ephedrine hydrochloride 4.6 mg).	* #	4 (four) years
BRONCHOLYTIN[®] NEO БРОНХОЛИТИН[®] НЕО	Combination	Cough suppressants. Expectorants	Bottle, containing 110 ml syrup. (5 ml syrup contains: glaucine hydrobromide 5.75 mg; pseudoephedrine hydrochloride 4.6 mg.)	#	3 (three) years
BUSCOLYSIN[®] БУСКОЛИЗИН[®]	BUTYLSCOPOLAMINE	Belladonna alkaloids, quaternary ammonium compounds	10 or 100 ampoules with 1 ml solution for injection (20 mg/ml). 20 or 800 coated tablets of 10 mg (blister strips of 20).	*	Solution for injection – 5 (five) years Tablets – 3 (three) years
CALCIUM GLUCONICUM SOPHARMA КАЛЦИУМ ГЛЮКОНИКУМ СОФАРМА	CALCIUM GLUCONATE, CALCIUM LAEVULINATE DIHYDRATE	Mineral supplements. Calcium products	5 or 50 ampoules with 10 ml solution for injection (8.94 mg/ml).	*	2 (two) years

product list

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
CALCIUM PHOSPHO C КАЛЦИУМ ФОСФО С	Combination	Mineral and vitamin supplements	30 film-coated tablets. (1 film-coated tablet contains: calcium hydrogen phosphate dihydrate 150 mg; calcium lactate pentahydrate 70 mg; calcium glycerophosphate 50 mg; ascorbic acid 20 mg.)	#	2 (two) years
CARTOPRIL SOPHARMA КАПТОПРИЛ СОФАРМА	CARTOPRIL	Agents acting on the renin-angiotensin system. ACE-inhibitors	40 tablets of 25 mg (blister strips of 10).	#	3 (three) years
CARSIL® КАРСИЛ®	SILYMARIN	Liver therapy, lipotropics	80 coated tablets of 22,5 mg. 30 hard capsules of 90 mg.	* #	Tablets – 2 (two) years Capsules – 2 (two) years
CHLORHADON® ХЛОФАДОН®	Combination	Antihypertensives and diuretics in combination	50 tablets (blister strips of 10). (1 tablet contains: clonidine hydrochloride 0.15 mg; chlorthalidone 20 mg.)		2 (two) years
CHLORHAZOLIN® ХЛОФАЗОЛИН®	CLONIDINE HYDROCHLORIDE	Antihypertensives. Antiadrenergic agents, centrally acting	10 or 50 ampoules with 1 ml solution for injection (0,15 mg/ml). 50 tablets of 0,15 mg (blister strips of 50).	* #	Solution for injection – 3 (three) years Tablets – 3 (three) years
CHLORPROMAZINE SOPHARMA ХЛОРПРОМАЗИН СОФАРМА	CHLORPROMAZINE	Antipsychotics	10 or 100 ampoules with 2 ml solution for injection (25 mg/ml). 10 or 50 ampoules with 5 ml solution for injection (10 mg/ml). 10 or 50 ampoules with 5 ml solution for injection (5 mg/ml).		5 (five) years
CINNARIZINE SOPHARMA ЦИНАРИЗИН СОФАРМА	CINNARIZINE	Antivertigo preparations	50 tablets of 25 mg (blister strips of 50). 40 blisters x 50 tablets.	* #	3 (three) years
CIPROFLOXACIN SOPHARMA ЦИПРОФЛОКСАЦИН СОФАРМА	CIPROFLOXACIN	Antibacterials for systemic use. Fluoroquinolones	10 film-coated tablets of 500 mg. 5 or 50 ampoules with 10 ml concentrate for solution for infusion (10 mg/ml).		3 (three) years 2 (two) years
CLENBUTEROL SOPHARMA КЛЕНБУТЕРОЛ СОФАРМА	CLENBUTEROL HYDROCHLORIDE	Drugs for obstructive airway diseases. Selective beta2-adrenoreceptor agonists	50 tablets of 0.02 mg (blister strips of 10). Bottle, containing 100 ml syrup (1 mcg/ml).	#	3 (three) years
COFFEINUM-NATRIO BENZOICUM	CAFFEINE	Psychostimulant	10 or 100 ampoules with 1 ml solution for injection (200 mg/ml).	*	3 (three) years
DEAVIT® ДЕАВИТ®	Combination	Vitamin A and D in combination	Bottle, containing 10 ml oral drops, solution with device. (1 ml solution contains: 30 000 UI retinol palmitate; 40 000 UI ergocalciferol.)		1 (one) year
DEFLAMOL® ДЕФЛАМОЛ®	Combination	Preparations for treatment of wounds and ulcers. Cod-liver oil ointments	Tube, containing 18 g ointment. (1 g ointment contains: 0,35 mg retinol palmitate; 0.01 mg ergocalciferol.)		1 (one) year
DEHYDRAZID® ДЕХИДРАЗИД®	Hydrochlorothiazide	Diuretics. Thiazides, plain	20 or 30 coated tablets of 25 mg (blister strips of 10).		3 (three) years
DEPREXOR® ДЕПРЕКСОР®	VENLAFAXINE	Other antidepressants	30 or 60 tablets of 37.5 mg. 30 or 60 tablets of 75 mg.	#	2 (two) years

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
DEPREXOR[®] ER ДЕПРЕКСОР[®] EP	VENLAFAXINE	Other antidepressants	28, 30 or 100 prolonged-release hard capsules of 75 mg or 150 mg.	lic.	3 (three) years
DERMOCORT[®] ДЕРМОКОРТ[®]	BETAMETHASONE	Corticosteroids for topical use	Tube, containing 15 g cream (0.1%).		2 (two) years
DEXAMETHASONE SOPHARMA ДЕКСАМЕТАЗОН СОФАРМА	DEXAMETHASONE PHOSPHATE	Corticosteroids for systemic use. Glucocorticoids	2 or 10 or 100 ampoules with 1 ml solution for injection (4 mg/ml). 2 or 10 or 100 ampoules with 2 ml solution for injection (4 mg/ml).		2 (two) years
DIAZEPAM SOPHARMA ДИАЗЕПАМ СОФАРМА	DIAZEPAM	Anxiolytics. Benzodiazepine derivatives	10 or 100 ampoules with 2 ml solution for injection (5 mg/ml). Bottle, containing 125 ml syrup.	#	2 (two) years
DIGOXIN SOPHARMA ДИГОКСИН СОФАРМА	DIGOXIN	Cardiac glycosides. Digitalis glycosides	10 or 100 ampoules with 2 ml solution for injection/infusion (0.25 mg/ml). 20 tablets of 0.25 mg (blister strips of 10). 50 tablets of 0.25 mg (blister strips of 10).	*	Solution for injection/infusion – 5 (five) years Tablets – 2 (two) years
DILTIAZEM SOPHARMA ДИЛТИАЗЕМ СОФАРМА	DILTIAZEM HYDROCHLORIDE	Selective calcium channel blocker with direct cardiac effects. Benzothiazepine derivatives	50 tablets of 60 mg (blister strips of 10).		3 (three) years
DIMEX[®] ДИМЕКС[®]	Combination	Antihistamines for systemic use	Bottle, containing 125 ml syrup. (5 ml syrup contains: 9.96 mg diphenhydramine hydrochloride; 99.6 mg ammonium chloride.)	#	3 (three) years
DUSOPHARM[®] ДУЗОФАРМ[®]	NAFTIDROFURYL	Peripheral vasodilators	30 film-coated tablets of 50 mg (blister strips of 10).	#	3 (three) years
DUSPAVERIN[®] ДУСПАВЕРИН[®] (MEBEVERINE SOPHARMA)	MEBEVERINE HYDROCHLORIDE	Drugs for functional gastrointestinal disorders. Synthetic anticholinergics, esters with tertiary amino group	30 film-coated tablets of 135 mg (blister strips of 10).		3 (three) years
ECONAZOLE SOPHARMA ЕКОНАЗОЛ СОФАРМА	ECONAZOLE NITRATE	Antifungal for topical use. Imidazole and triazole derivatives	Tube with 30 g cream (1%).		3 (three) years
EPHEDRINE SOPHARMA ЕФЕДРИН СОФАРМА	EPHEDRINE HYDROCHLORIDE	Cough suppressants, expectorants, mucolytics and nasal decongestants	10 or 100 ampoules with 1 ml solution for injection (50 mg/ml).		3 (three) years
ETHAMBUTOL SOPHARMA ЕТАМБУТОЛ СОФАРМА	ETHAMBUTOL HYDROCHLORIDE	Drugs for treatment of tuberculosis	50 tablets of 250 mg.		3 (three) years
FELORAN[®] ФЕЛОРАН[®]	DICLOFENAC SODIUM	Antiinflammatory and antirheumatic products, non-steroids	10 or 100 ampoules with 3 ml solution for injection (25 mg/ml). 6 suppositories of 50 mg and 100 mg. Tube with 40 g or 60 g gel (1%).	* #	Solution for injection – 2 (two) years Suppository – 2 (two) years Gel – 2 (two) years
FLIXOTIDE 50 Inhaler ФЛИКСОТИД 50 инхалер	FLUTICASONE	Drugs for obstructive airway diseases. Glucocorticoids	Susp. inh. pres. 50 mcg/ml x 120 doses.	lic.	2 (two) years
FLIXOTIDE 250 Inhaler ФЛИКСОТИД 250 инхалер	FLUTICASONE	Drugs for obstructive airway diseases. Glucocorticoids	Susp. inh. pres. 250 mcg/ml x 60; x 120 doses.	lic.	2 (two) years

product list

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
FOLIC ACID SOPHARMA ФОЛМЕВА КИСЕЛИНА СОФАРМА	FOLIC ACID	Antianemic preparations. Folic acid and derivatives	100 tablets of 5 mg (blister strips of 20).		2 (two) years
FUROSEMIDE SOPHARMA ФУРОЗЕМИД СОФАРМА	FUROZEMIDE	Diuretics. High-ceiling diuretics. Sulfonamides	10 or 100 ampoules with 2 ml solution for injection (10 mg/ml). 20 tablets of 40 mg (blister strips of 10). 2500 tablets of 40 mg (blister strips of 50).	* #	Solution for injection – 3 (three) years Tablets – 5 (five) years
FUROTALGIN® ФУРОТАЛГИН®	Combination	Otologicals. Analgesics and anesthetics, combinations	Bottle, containing 5 ml ear drops solution with dropper. (1 ml solution contains: 2.5 mg nitrofuraz; 31.25 mg tetracaine hydrochloride; 87.5 mg phenazone.)	#	5 (five) years
GENTAMICIN SOPHARMA ГЕНТАМИЦИН СОФАРМА	GENTAMICIN	Antibacterials for systemic use. Aminoglycosides	10 or 100 ampoules with 1 ml solution for injection (10 mg/ml). 10 or 100 ampoules with 1 ml solution for injection (20 mg/ml). 10 or 100 ampoules with 1 ml and 2 ml solution for injection (40 mg/ml).	*	4 (four) years
GLAUVENT® ГЛАУВЕНТ®	GLAUCINE HYDROBROMIDE	Cough suppressants	20 coated tablets of 10 mg (blister strips of 20). 20 coated tablets of 40 mg (blister strips of 20).	#	3 (three) years
GLIBENCLAMIDE SOPHARMA ГЛИБЕНКЛАМИД СОФАРМА	GLIBENCLAMIDE	Oral blood glucose lowering drugs. Sulfonamides, urea derivatives	60 tablets of 5 mg (blister strips of 30).		3 (three) years
GLOPENEL ГЛОПЕНЕЛ	CLOPIDOGREL BESYLATE	Antithrombotic agents. Platelet aggregation inhibitors excl. heparin	30 film-coated tablets of 75 mg.	lic.	2 (two) years
GLUCOSE SOPHARMA ГЛЮКОЗА СОФАРМА	GLUCOSE	General nutrients. Carbohydrates	5 or 50 ampoules with 10 ml solution for injection (10%). 5 or 50 ampoules with 10 ml solution for injection (25%). 5 or 50 ampoules with 10 ml solution for injection (40%).		3 (three) years
GRIPOFEN® ГРИПОФЕН®	Combination	Other analgesics and antipyretics. Anilides. Paracetamol, combinations	10 hard capsules. (1 capsule contains: 200 mg paracetamol; 150 mg ascorbic acid; 25 mg caffeine; 2.5 mg chlorphenamine maleate.)		2 (two) years
HALOPERIDOL SOPHARMA ХАЛОПЕРИДОЛ СОФАРМА	HALOPERIDOL	Psycholeptics. Antipsychotics. Butyrophenone derivatives	10 or 100 ampoules with 1 ml solution for injection (5 mg/ml).	#	3 (three) years
HEXISEPT® ХЕКСИСЕПТ®	CHLORHEXIDINE DIGLUCONATE	Antiinfectives and antiseptics for local oral treatment	20 buccal tablets of 5 mg (blister strips of 10).		2 (two) years
HISTALOR® ХИСТАЛОР®	LORATADINE	Other antihistamines for systemic use	Bottle, containing 120 ml syrup (5 mg/5 ml). 10 or 30 tablets of 10 mg (blister strips of 10).	#	2 (two) years
HYMECROMON UNIFARM ХИМЕКРОМОН УНИФАРМ	HYMECROMONE	Bile therapy	20 tablets of 400 mg (blister strips of 10).	#	4 (four) years

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
IBUPROFEN SOPHARMA ИБУПРОФЕН СОФАРМА	IBUPROFEN	Antiinflammatory and antirheumatic products, nonsteroids. Propionic acid derivatives	Bottle of 120 ml oral suspension (100 mg/5 ml). Tube with 40 g gel (5%).		3 (three) years 2 (two) years
INDOMETACIN SOPHARMA ИНДОМЕТАЦИН СОФАРМА	INDOMETACIN	Antiinflammatory drug and antirheumatic products, non-steroid	30 or 1350 gastro-resistant tablets of 25 mg (blister strips of 30). 6 suppositories of 50 mg or 100 mg. Tube, containing 40 g ointment (10%).	* #	Gastro-resistant tablets – 5 (five) years Suppository – 2 (two) years Ointment – 3 (three) years
INFLUDEX® ИНФЛУДЕКС®	Combination	Other cold combination preparations	Bottle, containing 120 ml syrup. (10 ml syrup contains: 330 mg paracetamol; 20 mg pseudoephedrine hydrochloride; 10 mg dextromethorphan hydrobromide; 1.3 mg chlorphenamine maleate.)		3 (three) years
ISOCOR® ИЗОКОР®	VERAPAMIL	Selective calcium channel blockers with direct cardiac effects. Phenylalkylamine derivatives	30 film-coated tablets of 80 mg. 10 ampoules with 2 ml solution for injection (2.5 mg/ml).		Film-coated tablets – 3 (three) years Solution for injection – 2 (two) years
KALIUM CHLORATUM SOPHARMA КАЛИУМ ХЛОРАТУМ СОФАРМА	POTASSIUM CHLORIDE	Electrolyte solutions	5 or 50 ampoules with 10 ml solution for injection (150 mg/ml).	*	5 (five) years
KETOPROFEN SOPHARMA КЕТОПРОФЕН СОФАРМА КЕТУМ® (gel) КЕТУМ®	KETOPROFEN	Antiinflammatory and antirheumatic products, nonsteroids. Propionic acid derivatives	20 hard capsules of 50 mg (blister strips of 10). Tube with 40 g gel (2.5%). Tube with 50 g gel (2.5%).	#	Capsule, hard 3 (three) years Gel 2 (two) years
KETOTIFEN SOPHARMA КЕТОТИФЕН СОФАРМА	KETOTIFEN	Other antihistamines for systemic use	30 tablets of 1 mg. Bottle, containing 125 ml syrup (0,2 mg/ml).	* #	Tablets – 2 (two) years Syrup – 3 (three) years
LAZAPIX ЛАЗАПИКС	OLANZAPINE	Antipsychotics. Diazepines, oxazepines and thiazepines	28, 35, 56 or 70 film-coated tablets of 5 mg (blister strips of 7). 7, 28, 35, 56 or 70 film-coated tablets of 10 mg (bilister strips of 7).	lic.	3 (three) years
LIDOCAINE SOPHARMA ЛИДОКАИН СОФАРМА	LIDOCAINE HYDROCHLORIDE	Anesthetics, local	5 or 50 ampoules with 10 ml solution for injection (5 mg/ml). 5 or 50 ampoules with 10 ml solution for injection (10 mg/ml). 10 or 100 ampoules with 2 ml solution for injection (20 mg/ml). 5 or 50 ampoules with 10 ml solution for injection (20 mg/ml).		2 (two) years
LISINOPRIL UNIPHARM (LISINOPRIL SOPHARMA)	LISINOPRIL	Agents acting on the renin-angiotensin system. ACE-inhibitors	30 tablets of 5 mg, 10 mg or 20 mg (blister strips of 10).	# *	2 (two) years
LORATADIN UNIPHARM ЛОРАТАДИН УНИФАРМ	LORATADINE	Antihistamine for systemic use	10 tablets of 10 mg (blister strips of 10). 30 tablets of 10 mg (blister strips of 10).	*	3 (three) years
LYDOL® ЛИДОЛ®	PETHIDINE HYDROCHLORIDE	Analgesics. Opioids. Phenylpiperidine derivatives	10 or 50 ampoules with 2 ml solution for injection (50 mg/ml).		5 (five) years

product list

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
MARASLAVIN® МАРАСЛАВИН®	Combination	Other agents for local oral treatment	Bottle of 100 ml gingival solution. (The solution contains extract from: <i>herba Artemisiae, herba Satureiae hortensis, flores Caryophylli, fructus Piperis nigri, rhizoma Zingiberis, 2,5% Ammonii chloridum, 1% Acidum aceticum, not less than 0,35% tannins.</i>)	#	3 (three) years
MELOXICAM SOPHARMA (MOVIX® / МОВИКС®)	MELOXICAM	Antiinflammatory and antirheumatic products, non-steroids. Oxicams	20 tablets of 7.5 mg (blister strips of 10). 20 tablets of 15 mg (blister strips of 10).	* #	2 (two) years
MESALAZIN UNIPHARM МЕЗАЛАЗИН УНИФАРМ	MESALAZINE	Intestinal anti-inflammatory drug	50 gastro-resistant tablets of 250 mg (blister strips of 10).		3 (three) years
METHYLPREDNISOLONE SOPHARMA МЕТИЛПРЕДНИЗОЛОН СОФАРМА	METHYLPREDNISOLONE	Corticosteroids for systemic use. Glucocorticoids	5 or 10 ampoules with powder and solvent for solution for injection (6,31 mg + 1 ml). 5 or 10 ampoules with powder and solvent for solution for injection (15,78 mg + 1 ml). 10 ampoules with powder and solvent for solution for injection (40 mg + 1 ml). 5 ampoules with powder and solvent for solution for injection (125 mg + 2 ml). 5 ampoules with powder and solvent for solution for injection (250 mg + 5 ml).	#	5 (five) years
МОСЛОВЕМИД SOPHARMA МОКЛОБЕМИД СОФАРМА	MOCLOBEMIDE	Antidepressants. Monoamine oxidase A inhibitors	30 film-coated tablets of 150 mg (blister strips of 10).		3 (three) years
MORPHINE SOPHARMA МОРФИН СОФАРМА	MORPHINE HYDROCHLORIDE	Analgesics. Opioids. Natural opium alkaloids	10 or 100 ampoules with 1 ml solution for injection (10 mg/ml). 10 or 100 ampoules with 1 ml solution for injection (20 mg/ml).	#	3 (three) years
NANIPRUS® НАНИПРУС®	NITROPRUSSIDE SODIUM	Antihypertensives. Arteriolar smooth muscle, agents acting on, nitroferricyanide derivatives	1 ampoules with powder and solvent for solution for injection (30 mg + 5 ml).	#	5 (five) years
NATRIUM BROMATUM SOPHARMA НАТРИУМ БРОМАТУМ СОФАРМА	SODIUM BROMIDE	Other hypnotics and sedatives. Bromides	10 or 50 ampoules with 5 ml solution for injection (100 mg/ml).		3 (three) years
NATRIUM CHLORATUM SOPHARMA НАТРИЕВ ХЛОРИД СОФАРМА	SODIUM CHLORIDE	Electrolite solutions	10 or 100 ampoules with 0.5 ml and 1 ml solution for injection (9 mg/ml). 10 or 50 ampoules with 5 ml solution for injection (9 mg/ml). 5 or 50 ampoules with 10 ml solution for injection (9 mg/ml).	*	5 (five) years
NEBICARD® НЕБИКАРД®	NEBIVOLOL	Beta blocking agents, selective	30 tablets of 5 mg (blister strips of 10).	lic.	3 (three) years

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
NIVALIN[®] НИВАЛИН[®]	GALANTAMINE HYDROBROMIDE	Parasympathomimetics. Anticholinesterases. Antidementia drugs	10 or 100 ampoules with 1 ml solution for injection of 1 mg, 2,5 mg, 5 mg or 10 mg. 10, 20 or 60 tablets of 5 mg (1 blister x 10 or 20 tablets; 3 blisters x 20 tablets). 10 or 20 tablets of 10 mg (1 or 2 blisters x 10 tablets).	* #	Solution for injection – 5 (five) years Tablets – 5 (five) years
PAPAVERINE SOPHARMA ПАПАВЕРИН СОФАРМА	PAPAVERINE HYDROCHLORIDE	Drugs for functional gastrointestinal disorders. Papaverine and derivatives	10 or 100 ampoules with 1 ml solution for injection (20 mg/ml).	*	2 (two) years
PARACETAMOL SOPHARMA ПАРАЦЕТАМОЛ СОФАРМА	PARACETAMOL	Analgesics, antipyretics. Anilides	20 or 400 tablets of 500 mg. Bottle, containing 125 ml syrup (120 mg/5 ml). 10 suppositories of 80 mg or 150 mg (blister strips of 5).	#	2 (two) years Syrup – 3 (three) years
PARACOFDAL[®] ПАРАКОФДАЛ[®]	Combination	Analgesic. Metamizole sodium, combinations	20 tablets (blister strips of 10). (One tablet contains: 200 mg Paracetamol, 300 mg Metamizole, 20 mg Codeine phosphate, 30 mg Caffeine).		3 (three) years
PENTOFYLLIN[®] ПЕНТОФИЛИН[®]	PENTOXIFYLLINE	Peripheral vasodilators. Purine derivatives	10 or 100 ampoules with 5 ml solution for injection (20 mg/ml).		3 (three) years
PENTOXIPHARM[®] ПЕНТОКСИФАРМ[®] PENTOXIFYLLIN SOPHARMA	PENTOXIFYLLINE	Peripheral vasodilators. Purine derivatives	60 gastro-resistant tablets of 100 mg (blister strips of 10).	#	3 (three) years
PHENOBARBITAL SOPHARMA ФЕНОБАРБИТАЛ СОФАРМА	PHENOBARBITAL SODIUM	Antiepileptics. Barbiturates	10 or 100 ampoules with 2 ml solution for injection (100 mg/ml).	#	2 (two) years
PHEZIMEM[®] ФЕЗИМЕМ[®]	Combination	Other psychostimulants and nootropics	60 capsules (blister strips of 10). (1 capsule contains: 400 mg piracetam; 25 mg cinnarizine.)	#	2 (two) years
PIROXICAM SOPHARMA ПИРОКСИФАРМ СОФАРМ	PIROXICAM	Antiinflammatory and antirheumatic products, non-steroids. Oxicams	20 hard capsules of 10 mg (blister strips of 10). 20 hard capsules of 20 mg (blister strips of 10).	* #	3 (three) years
PRAVASTATIN UNIPHARM (PRAVAPRES[®] / ПРАВАПРЕС[®])	PRAVASTATIN SODIUM	Serum lipid reducing agents. Cholesterol and triglyceride reducers. HMG CoA reductase inhibitors	30 tablets of 10 mg (blister strips of 10). 30 tablets of 20 mg (blister strips of 10).	* #	2 (two) years
PRAZOSIN SOPHARMA ПРАЗОЗИН СОФАРМА	PRAZOSIN	Antihypertensives, antiadrenergic agents, peripherally acting	50 tablets of 2 mg (blister strips of 10).		5 (five) years
PROMEROL[®] ПРОМЕРОЛ[®]	METOPROLOL TARTRATE	Beta blocking agents, selective	30 or 50 tablets of 50 mg (blister strips of 10). 20 or 30 tablets of 100 mg (blister strips of 10).		3 (three) years
PROPRANOLOL SOPHARMA ПРОПРАНОЛОЛ СОФАРМА	PROPRANOLOL	Beta-blocking agents, non-selective	30 or 50 film-coated tablets of 25 mg (blister strips of 10). 30 or 50 film-coated tablets of 40 mg (blister strips of 10).		2 (two) years

product list

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
PYRAMINOL® ПИРАМИНОЛ®	PIRACETAM	Psychostimulants, nootropics	10 or 50 ampoules with 5 ml solution for injection (200 mg/ml). 40 film-coated tablets of 400 mg (blister strips of 10). 20 or 60 film-coated tablets of 800 mg (blister strips of 10).	*	Solution for injection – 3 (three) years Tablets – 3 (three) years
RANITIDINE SOPHARMA RANITIDINE UNIPHARM	RANITIDINE	Drugs for peptic ulcer and gastro-oesophageal reflux diseases. H2-receptor antagonists	20 or 60 film-coated tablets of 150 mg (blister strips of 10). 30 film-coated tablets of 300 mg (blister strips of 10). 10 or 100 ampoules with 2 ml solution for injection (25 mg/ml).	# *	Tablets - 2 (two) years Solution for injection - 3 (three) years
REFESIN® РЕФЕЗИН®	GUAIFENESIN	Expectorants	Bottle, containing 120 ml syrup (100 mg/5 ml).		2 (two) years
REVULSAN® РЕВУЛЗАН®	Combination	Products for joint and muscular pain for topical use	Tube, containing 18 g ointment. (1 g ointment contains: 30 mg Camphor racemic; 30 mg Lavender Oil; 9 mg Anethole; 180 mg Peppermint Oil; 40 mg Eucalyptol; 1 mg Clove Oil; 5mg Cinnamon Oil.)		2 (two) years
RHINOLEX® РИНОЛЕКС®	Combination	Decongestants and other nasal preparations for topical use	Tube, containing 18 g ointment. (1 g ointment contains: 30 mg Ephedrine hydrochloride; 50 mg Sulfathiazole.)		2 (two) years
RIMICID® РИМИЦИД®	ISONIAZID	Drugs for treatment of tuberculosis. Hydrazides	10 or 50 ampoules with 2 ml solution for injection (25 mg/ml).		Solution for injection – 5 (five) years
РЫТМОСАРД® РИТМОКАРД®	PROPAFENONE HYDROCHLORIDE	Antiarrhythmics, class Ic	50 film-coated tablets of 150 mg. 30 film-coated tablets of 300 mg. 5 or 50 ampoules with 10 ml solution for injection/infusion (3.5 mg/ml).		Film-coated tablets – 3 (three) years Solution for injection – 2 (two) years
SALBUTAMOL SOPHARMA САЛБУТАМОЛ СОФАРМА	SALBUTAMOL	Drugs for obstructive airway diseases. Adrenergics for systemic use. Selective beta2-adrenoreceptor agonists	Bottle, containing 125 ml syrup (2 mg/5 ml).	#	2 (two) years
SARIPHEZON® САРИФЕЗОН®	Combination	Analgesics. Paracetamol, combinations excl. psycholeptics	20 tablets (blister strips of 10). (1 tablets contains: 250 mg Paracetamol, 150 mg Propyphenazone, 50 mg caffeine.)		2 (two) years
SILDEN® СИЛДЕН®	SILDENAFIL	Drugs used in erectile disfunction	1 film-coated tablets of 50 mg blister strips of 1). 4 or 8 film-coated tablets (blister strips of 4). 1 film-coated tablets of 100 mg. 4 film-coated tablets of 100 mg.		3 (three) years
SOFLUXEN® СОФЛУКСЕН®	FLUOXETINE	Antidepressants. Selective serotonin re-uptake inhibitors	28 hard capsules of 20 mg.		2 (two) years
SONLAX СОНЛАКС	ZOPICLONE	Psycholeptics. Hypnotics and sedatives	10 or 30 film-coated tablets of 7.5 mg (blister strips of 10).	lic.	3 (three) years
SOPHAFYLLIN® СОФАФИЛИН®	AMINOPHYLLINE	Other systemic drugs for obstructive airway diseases. Xanthines	5 or 50 ampoules with 10 ml solution for injection (24 mg/ml).	*	3 (three) years

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
SOPHAMET[®] СОФАМЕТ[®]	METFORMIN HYDROCHLORIDE	Oral blood glucose lowering drugs. Biguanides	30 film-coated tablets of 850 mg (blister strips of 10). 50 film-coated tablets of 500 mg (blister strips of 10).	#	3 (three) years
SOPHANAX[®] СОФАНАКС[®]	ALPRAZOLAM	Anxiolytics. Benzodiazepine derivatives	30 tablets of 0.5 mg.	#	3 (three) years
SOPHTENSIF[®] СОФТЕНЗИФ[®]	INDAPAMIDE	Diuretics. Low-ceiling diuretics, excl. thiazides. Sulfonamides, plain	30 film-coated tablets of 2,5 mg.		2 (two) years
SOPRAL[®] СОПРАЛ[®]	OMEPRAZOLE	Proton pump inhibitors	14 gastro-resistant hard capsules of 20 mg ("calendar" package of 7). 28 gastro-resistant hard capsules of 20 mg ("calendar" package of 7).	#	3 (three) years
SPASMALGON[®] СПАЗМАЛГОН[®]	Combination	Antispasmodics in combination with analgesics	5, 10 or 100 ampoules with 2 ml solution for injection. (1 ampoule of 2 ml contains: 1000 mg Metamizole sodium; 4 mg Pitofenone hydrochloride; 0,04 mg Fempiverinium bromide.) 5, 10 or 50 ampoules with 5 ml solution for injection. (One ampoule of 5 ml contains: 2500 mg Metamizole sodium; 10 mg Pitofenone hydrochloride; 0,1 mg Fempiverinium bromide.)	* #	5 (five) years
STERILISED WATER FOR INJECTIONS СТЕРИЛИЗИРАНА ВОДА ЗА ИНЖЕКЦИИ	WATER FOR INJECTION	Solvents	10 ampoules with 1 ml solution for injection. 10 ampoules with 2 ml solution for injection. 10 or 50 ampoules with 5 ml solution for injection. 5 or 50 ampoules with 10 ml solution for injection.		5 (five) years
SYDNOPHARM[®] СИДНОФАРМ[®]	MOLSIDOMINE	Other vasodilators used in cardiac diseases	30 tablets of 2 mg.	#	3 (three) years
ТАВЕХ[®] ТАБЕКС[®]	CYTISINE	Drugs used in nicotine dependence	100 film-coated tablets of 1.5 mg (blister strips of 20).	* #	2 (two) years
TALERT[®] ТАЛЕРТ[®]	CETIRIZINE DIHYDROCHLORIDE	Antihistamines for systemic use. Piperazine derivatives	Bottleq containing 120 ml syrup (10 mg/10 ml). 10 or 20 film-coated tablets of 10 mg (blister strips of 10).		Syrup – 2 (two) years Tablets – 3 (three) years
TAMOXIFEN SOPHARMA ТАМОКСИФЕН СОФАРМА	TAMOXIFEN	Anti-estrogens	30 tablets of 10 mg (blister strips of 10).		4 (four) years
TEMPALGIN[®] ТЕМПАЛГИН[®]	Combination	Analgesics. Pyrazolones. Metamizole sodium, combination with psycholeptics	20 or 300 film-coated tablets (blister strips of 10). (1 film-coated tablet contains: 500 mg Metamizole sodium; 20 mg Triacetanamine-4-toluensulfonate.)	* #	4 (four) years
ТЕОТАРД[®] ТЕОТАРД[®]	THEOPHYLLINE	Systemic drug for obstructive pulmonary diseases	50 prolonged release tablets of 300 mg (blister strips of 10).	#	3 (three) years
TERNAFIN[®] ТЕРНАФИН[®]	TERBINAFINE HYDROCHLORIDE	Dermatologicals. Antifungals for systemic and topical use	Tube, containing 15 g cream (1%). 20 tablets of 250 mg.		Cream – 2 (two) years Tablets – 2 (two) years
TILIDINE SOPHARMA ТИЛИДИН СОФАРМА	TILIDINE HYDROCHLORIDE	Analgesics. Other opioids	Bottle of 10 ml oral drops, solution and drop device.		3 (three) years

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
ТОPIRAX ТОПИРАКС	TOPIRAMATE	Antiepileptics	28 film-coated tablets of 25 mg. 28 film-coated tablets of 50 mg. 28 film-coated tablets of 100 mg.	lic.	3 (three) years
TRAMALGIN® ТРАМАЛГИН®	TRAMADOL HYDROCHLORIDE	Other opioids	20 hard capsules of 50 mg. 10 or 100 ampoules with 2 ml solution for injection (50 mg/ml).	#	2 (two) years
TRIBESTAN® ТРИБЕСТАН®	TRIBULUS TERRESTRIS HERBA EXTRACTUM SICCUM (35-45:1)	Nonhormonal bioregulator. Anti-aging phytochemical	60 film-coated tablets of 250 mg.	#	2 (two) years
TRIMDUCTAL® ТРИМДУКТАЛ®	TRIMETAZIDINE DIHYDROCHLORIDE	Cardiac therapy. Other cardiac preparations	60 film-coated tablets of 20 mg (blister strips of 10).		3 (three) years
TROXERUTIN SOPHARMA ТРОКСЕРУТИН СОФАРМА	TROXERUTIN	Vasoprotectives. Capillary stabilising agents. Bioflavonoids	50 hard capsules of 300 mg (blister strips of 10). Tube with 40 g gel (2 g/100 g).	#	Capsules – 5 (five) years Gel – 5 (five) years
TUSSIPHEN® ТУСИФЕН®	Combination	Other cough suppressants and expectorants	Bottle, containing 125 ml syrup. (5 ml syrup contains: 25 mg Aminophenazonum; 7,5 mg Ephedrini hydrochloridum; 75 mg Natrii benzoas; 75 mg Natrii bromidum; 100 mg extr. Althaeae fl.; 100 mg extr. Thymi fl.)	#	3 (three) years
TUSSIPHEN "BEBE"®	Combination	Other cough suppressants and expectorants	Bottle, containing 125 ml syrup. (5 ml syrup contains: 25 mg Aminophenazonum; 2,5 mg Ephedrini hydrochloridum; 50 mg Natrii benzoas; 50 mg Natrii bromidum; 50 mg extr. Althaeae fl.; 100 mg extr. Thymi fl.)	#	3 (three) years
UNIVERTAN® УНИВЕРТАН	Combination	Dermatologicals, antiseptics	Tube, containing 18 g ointment. (1 g ointment contains: 130 mg Sulfathiazole; 16 mg Chloramphenicol; 2.6 mg Nystatin; 13 mg Sulfur for external use; 13 mg Borax.)	#	2 (two) years
VASOPREN® ВАЗОПРЕН	ENALAPRIL MALEATE	ACE-inhibitors, plain	28 tablets of 5 mg, 10 mg or 20 mg ("calendar" package of 7).	#	2 (two) years
VERAPAMIL SOPHARMA ВЕРАПАМИЛ СОФАРМА	VERAPAMIL HYDROCHLORIDE	Selective calcium channel blocker with direct cardiac effects. Phenylalkylamine derivatives	50 film-coated tablets of 40 mg (blister strips of 10). 50 film-coated tablets of 80 mg (blister strips of 10).		5 (five) years 3 (three) years
VICETIN® ВИЦЕТИН®	VINPOCETINE	Psychoanaleptics. Other psychostimulants and nootropics	10 or 100 ampoules with 2 ml solution for infusion (5 mg/ml). 50 tablets of 5 mg. 30 or 90 tablets of 10 mg.		Solution for infusion – 2 (two) years Tablets 5 mg – 3 (three) years Tablets 10 mg – 3 (three) years
VITAMIN A СОФАРМА	RETINOL PALMITATE	Vitamins. Vitamin A and D, incl. combinations of the two	Bottle of 5 ml oral drops, solution (40 000 IU/ml) and drop device.	#	1 (one) year

DRUGS	INN	GROUP	SUPPLIED		SHELF LIFE
VITAMIN B COMPLEX	Combination	Vitamins. Vitamin B complex, incl. combinations	20 film-coated tablets (blister strips of 20). (1 tablet contains: 5 mg Thiamine nitrate; 1 mg Riboflavine; 4 mg Pyridoxine hydrochloride; 50 mg Nicotinamide.) 10 or 100 ampoules with 2 ml solution for injection. (1 ampoule of 2 ml contains: 10 mg Thiamine hydrochloride; riboflavin sodium phosphate equ. to 2 mg riboflavin; 10 mg Pyridoxine hydrochloride; 100 mg Nicotinamide.)	* #	Tablets – 2 (two) years Solution for injection – 2 (two) years
VITAMIN B1 SOPHARMA	THIAMINE HYDROCHLORIDE	Vitamins. Vitamin B1, plain	10 or 100 ampoules with 2 ml solution for injection (40 mg/ml).	*	2 (two) years
VITAMIN B12 SOPHARMA	CYANOCOBALAMIN	Antianemic preparations. Vitamin B12 and folic acid. Vitamin B12	10 or 100 ampoules with 1 ml solution for injection (100 µg/ml; 250 µg/ml; 500 µg/ml or 1000 µg/ml).	*	2 (two) years
VITAMIN B2 SOPHARMA	RIBOFLAVIN	Vitamin B2	10 or 100 ampoules with 2 ml solution for injection (5 mg/ml).	*	2 (two) years
VITAMIN B6 SOPHARMA	PYRIDOXINE HYDRICHLORIDE	Vitamins	10 or 50 ampoules with 2 ml solution for injection (50 mg/ml). 20 film-coated tablets of 25 mg.	*	Solution for injection – 2 (two) years Film-coated tablets – 2 (two) years
VITAMIN C SOPHARMA	ASCORBIC ACID	Vitamins. Ascorbic acid	10 ampoules with 2 ml or 5 ml solution for injection (100 mg/ml).	*	2 (two) years
VULNUSAN® ВУЛНУЗАН®	Combination	Other dermatological preparations	Tube, containing 45 g ointment (12 g/100 g Pomeranian lakes extract).	#	2 (two) years
XYLODREN® BROWN КСИЛОДРЕН® кафяв	Combination	Anesthetics, local. Lidocaine, combinations	10 or 50 ampoules with 2 ml solution for injection. (1 ampoule of 2 ml contains: 40 mg Lidocaine hydrochloride; 0.025 mg Epinephrine.)		3 (three) years
XYLOPHARM® КСИЛОФАРМ®	XYLOMETHAZOLINE	Sympathomimetics for nasal use	Bottle, containing 10 ml solution (0.05%). Bottle, containing 10 ml solution (0.1%).		2 (two) years
ZONDARON® ЗОНДАРОН®	ONDANSETRON	Antiemetics and anti-nauseants. Serotonin (5HT3) antagonists	10 or 100 ampoules with 4 mg/2 ml solution for injection. 10 or 50 ampoules with 8 mg/4 ml solution for injection.		2 (two) years


The medicinal product has a registration in countries outside the EU.

* The medicinal product has a marketing authorization in EU.

lic. – Licensed medicinal product.

product list

FOOD SUPPLEMENTS	INGREDIENTS	SUPPLIED		SHELF LIFE
BIOENERGIX® БИОЕНЕРЖИКС®	Combination (1 capsule contains: 78,47 mg Creatine monohydrate; 40 mg Phytin; 40 mg Royal jelly; 15 mg Calcuim D-pantotenate; 50 mg Soy Lecithin; 50 mg L-arginine L-aspartate; 51,53 mg Lactose monohydrate; 25 mg Magnesium stearate.)	20 capsules, hard.	*	2 (two) years
CARSIL® КАРСИЛ®	Silymarin	80 coated tablets of 35 mg.	#	2 (two) years
MULTIVITASTOL МУЛТИВИТАСТОЛ	Combination of vitamins	Bottle, containing 125 ml syrup.	*	2 (two) years
PHYTIN® ФИТИН®	Phytin calcium-magnesium salts of phytic acid (inositehexaphosphoric acid)	40 film-coated tablets.	* #	3 (three) years
PEFLAVIT C® ПЕФЛАВИТ С®	Combination (1 tablet contains: 20 mg Peflavit; 50 mg Ascorbinic acid.)	60 film-coated tablets.	*	2 (two) years
TRIBESTAN® ТРИБЕСТАН®	Tribulus terrestris extractum siccum	60 film-coated tablets.	* #	2 (two) years
TRIBESTAN® PLUS	Tribulus terrestris herba extractum siccum, Ginseng root extractum siccum	30 film-coated tablets.	*	3 (three) years
TRIBESTAN® VITA	200 mg Tribulus terrestris herba extractum siccum, 2500 µg Vitamin A (retinol acetate), 25 mg Vitamin E (α-tocopherol acetate)	60 film-coated tablets.	*	3 (three) years
UNIFER® УНИФЕР®	Combination (1 capsule contains: 15.33 mg carbonyl iron, equivalent to 15 mg of iron, and 0.2 mg folic acid.)	30 capsules.	*	3 (three) years
VADOLEX® ВАДОЛЕКС®	Menthyl valerate	10 or 20 sublingual tablets of 60 mg.	*	2 (two) years



MEDICAL PRODUCTS	INGREDIENTS	SUPPLIED	SHELF LIFE
ACETATE HEMODIALYSIS CONCENTRATE CHD-1	NaCl – 184,0 g/l KCl – 3,91 g/l MgCl ₂ – 3,56 g/l CaCl ₂ – 4,6 g/l CH ₃ COONa – 200,0 g/l Glucose – 96,0 g/l	Barrel PET of 5 l.	1 (one) year
ACETATE HEMODIALYSIS CONCENTRATE CHD-2	NaCl – 196,4 g/l KCl – 5,2 g/l MgCl ₂ – 5,3 g/l CaCl ₂ – 13,4 g/l CH ₃ COONa – 190,5 g/l	Barrel PET of 5 l.	2 (two) years
ACETATE HEMODIALYSIS CONCENTRATE CHD-3	NaCl – 204,6 g/l KCl – 7,8 g/l MgCl ₂ – 5,3 g/l CaCl ₂ – 13,4 g/l CH ₃ COONa – 181,0 g/l	Barrel PET of 5 l.	2 (two) years
ACETATE HEMODIALYSIS CONCENTRATE CHD-4	NaCl – 203,68 g/l KCl – 7,82 g/l MgCl ₂ – 5,44 g/l CaCl ₂ – 13,45 g/l CH ₃ COONa – 183,29 g/l Glucose – 45,78 g/l	5 l in a PET tube.	1 (one) year
ACID BICARBONATE HEMODIALYSIS CONCENTRATE CHD A11	NaCl – 214,8 g/l KCl – 7,83 g/l MgCl ₂ – 3,56 g/l CaCl ₂ – 9,58 g/l CH ₃ COOH – 4,20 g/l	5 l in a PET tube.	2 (two) years
ACID BICARBONATE HEMODIALYSIS CONCENTRATE CHD A12	NaCl – 210,7 g/l KCl – 5,22 g/l MgCl ₂ – 3,58 g/l CaCl ₂ – 13,414 g/l CH ₃ COOH – 6,31 g/l	5 l in a PET tube.	2 (two) years
ACID BICARBONATE HEMODIALYSIS CONCENTRATE CHD A13	NaCl – 214,8 g/l KCl – 7,83 g/l MgCl ₂ – 3,558 g/l CaCl ₂ – 11,55 g/l CH ₃ COOH – 4,203 g/l	5 l in a PET tube.	2 (two) years
ACID BICARBONATE HEMODIALYSIS CONCENTRATE CHD A13.1	NaCl – 214,8 g/l KCl – 7,83 g/l MgCl ₂ – 3,558 g/l CaCl ₂ – 13,414 g/l CH ₃ COOH – 4,203 g/l	Barrel PET of 5 l	2 (two) years
ACID BICARBONATE HEMODIALYSIS CONCENTRATE CHD A14	NaCl – 214,8 g/l KCl – 7,82 g/l MgCl ₂ – 5,44 g/l CaCl ₂ – 13,45 g/l CH ₃ COOH – 4,21 g/l Glucose – 45,78g/l	Barrel PET of 5 l	1 (one) year
BASIC BICARBONATE HEMODIALYSIS CONCENTRATE 8,4%	NaHCO ₃ – 84,00 g/l	Barrel PET of 5 l or 6 l.	1 (one) year

product list

DIAGNOSTICS	INGREDIENTS	SUPPLIED	SHELF LIFE
ULTRAPHONOGE L	Carbomer 940 0,55 g/100 ml	Bottles of 250 g; 3 kg and 5 kg.	3 (three) years
OPHTHALMOGE L	Methylcelulose 1,5 g/100 ml	60 ml in a bottle.	2 (two) years

COSMETICS	INGREDIENTS	SUPPLIED	SHELF LIFE
BORIC VASELINE 3%	Boric Acid, White Vaseline	Tube with 18 g ointment.	3 (three) years
MENTHOL VASELINE 1%	Menthol	Tube with 20 g ointment.	2 (two) years
MILD VASELINE	Mastix, Yellow wax, White vaseline and Sunflower oil	Tube with 18 g ointment.	3 (three) years
PHLEBESKIN® ФЛЕБЕСЦИН®	Escin, Buphenine	Tube with 40 g gel.	2 (two) years
UNIVAL *	Combination (Levomenthol, Lavandulae aetheroleum, Eucalypti aetheroleum, Pini silvestris aetheroleum, Thymi aetheroleum, Myristicae fragrantis aetheroleum)	Cutaneous solution of 30 ml; 60 ml and 125 ml.	2 (two) years